

CLAIMS

I claim:

1. A process for cloning vitamin D₃-binding protein (Gc protein) into baculovirus comprising the step of selecting and using a baculovirus vector to clone the vitamin D₃-
5 binding protein Gc protein (Gc protein).
2. A process for producing a cloned macrophage activating factor (GcMAFc) comprising contacting cloned Gc protein in vitro with immobilized β -galactosidase and sialidase and obtaining the cloned macrophage activating factor (GcMAFc).
3. A process for cloning vitamin D₃-binding protein domain III (Gc domain III) into
10 baculovirus comprising the step of selecting and utilizing a baculovirus vector to clone the vitamin D₃-binding protein domain III (Gc domain III).
4. A process for producing a cloned macrophage activating factor (CdMAF) comprising contacting cloned Gc domain III in vitro with immobilized β -galactosidase and sialidase and obtaining the macrophage activating factor (CdMAF).
- 15 5. A method of treating a person suffering from cancer by administering to the person a therapeutically effective amount of a Gc protein macrophage activating factor (GcMAF), the GcMAF being a product of contacting serum Gc protein in vitro with immobi-
lized β -galactosidase and sialidase.
6. A method of treating a person suffering from cancer by administering to the
20 person a therapeutically effective amount of a cloned macrophage activating factor (GcMAFc), which is a product of the process according to claim 2.

7. A method of treating a person suffering from cancer by administering to the person a therapeutically effective amount of a cloned macrophage activating factor (CdMAF), which is a product of the process according to claim 4.

8. A method of treating a person suffering from human immunodeficiency virus (HIV), Epstein-Barr virus (EBV) or herpes zoster by administering to the person a therapeutically effective amount of a macrophage activating factor (GcMAF), which is a product of contacting serum Gc protein in vitro with immobilized β -galactosidase and sialidase.

9. A method of treating a person suffering from human immunodeficiency virus (HIV), Epstein-Barr virus (EBV) or herpes zoster by administering to the person a therapeutically effective amount of a macrophage activating factor (GcMAFc), which is a product of the process according to claim 2.

10. A method of treating a person suffering from human immunodeficiency virus (HIV), Epstein-Barr virus (EBV) or herpes zoster by administering to the person a therapeutically effective amount of a macrophage activating factor (CdMAF), which is a product of the process according to claim 4.

11. A macrophage activating factor (GcMAFc), which is a product of the process according to claim 2.

12. A macrophage activating factor (CdMAF), which is a product of the process according to claim 4.

13. A method of promoting bone marrow formation in osteopetrotic patients comprising administering a therapeutically effective amount of a macrophage activating factor (GcMAFc), which is a product of the process according to claim 2.

14. A method of promoting bone marrow formation in osteopetrotic patients comprising administering a therapeutically effective amount of a macrophage activating factor (CdMAF), which is a product of the process according to claim 4.

15. An adjuvant for immunizing humans and animals with antigens or vaccines, the adjuvant comprising a macrophage activating factor (GcMAF) which is a product of contacting serum Gc protein in vitro with immobilized β -galactosidase and sialidase.

16. An adjuvant for immunizing humans and animals with antigens or vaccines, the adjuvant comprising a macrophage activating factor (GcMAFc), which is a product of the process according to claim 2.

17. An adjuvant for immunizing humans and animals with antigens or vaccines, the adjuvant comprising a macrophage activating factor (CdMAF), which is a product of the process according to claim 4.

18. A cloned vitamin D₃-binding protein (Gc protein) having an amino acid sequence of Fig. 3 (SEQ. ID. NO:1)(GcMAFc).

19. A cloned vitamin D₃-binding protein domain III (Gc domain III) having an amino acid sequence of Fig. 5 (SEQ ID. NO:2)(CdMAF₁).

20. A cloned vitamin D₃-binding protein domain III (Gc domain III) having an amino acid sequence of Fig. 7 (SEQ ID. NO:3)(CdMAF₂).